Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	101	348/263.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:34
L2	509	348/42.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:35
L3	45	348/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:35
L4	64	348/52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:35
L5	411	348/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:35
L6	98	348/221.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:36
L7	980	348/222.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:36
L8	227	348/231.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:36
L9	217	348/231.6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:36
L10	71	348/231.9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:36

L11	123	348/240.99.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:36
L12	138	348/240.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:44
L13	912	382/254.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:45
L14	189	382/255.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:45
L15	10	increas\$4 near3 depth near3 field same compos\$4 with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:45
L16	24941	display\$4 near4 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:45
L17	4957	display\$4 near4 distance and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:45
L18	1402	lcd near5 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:45
L19	166	lcd near5 distance same camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:45
L20	0	alpha near4 channel near6 distance same display same camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:46

				_		
L21	1	alpha near4 channel near6 distance same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:46
S1	16	"4958374"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 23:26
S2	71	"5034986"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 12:22
S3	63	"5067014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 12:23
S4	24	"5151609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 12:23
<b>S</b> 5	12	"5453784"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 12:36
S6	7	"5815596"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 12:36
S7	8	"5290657"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 12:37
S8	28	"5920657"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 12:37
S9	1	60/149237	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 13:38

S10	1	09/640405	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 14:16
S11	3007	camera and (combin\$4 or blend\$4 or compos\$4) same image same (focus or (deph near2 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:51
S12	1852	camera and (combin\$4 or blend\$4 or compos\$4) with image same (focus or (deph near2 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:34
S13	161	camera and (combin\$4 or blend\$4 or compos\$4) with image same (focus or (deph near2 field)) with different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:47
S14	161	camera and (combin\$4 or blend\$4 or compos\$4) with image same ((focus or (deph near2 field)) with different)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:34
S15	61	camera and (combin\$4 or blend\$4 or compos\$4) with image same ((focus or (deph near2 field)) near3 different)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 16:56
S16	78	(camera or imager or (imaging adj (device or apparatus or system))) and (combin\$4 or blend\$4 or compos\$4) with image same ((focus or (deph near2 field)) near3 different)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 16:57
S17	1	10/071026	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:30
S18	832	(imager or camera or (imaging adj (device or apparatus or system))) same ((compos\$4 or combin\$4 or blend\$4) with image) same focus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:33
S19	82	(imager or camera or (imaging adj (device or apparatus or system))) same ((compos\$4 or combin\$4 or blend\$4) with image) same focus with (different or variety)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/03/29 08:34

S20	24	(imager or camera or (imaging adj (device or apparatus or system))) same ((compos\$4 or combin\$4 or blend\$4) with image) same focus near3 (different or variety)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:34
S21	2	"5657402".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:49
S22	2	"20030058350"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:05
S23	26	villecco.xa. and focus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:10
S24	5	ishimaru.in. and olympus.as. and white adj balance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:33
S25	5	ishimaru.in. and olympus.as. and white adj balance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 13:00
S26	12	(ishimaru or ide).in. and olympus. as. and white adj balance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:31
S27	17	"266988"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 13:04
S28	2	"11070101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 13:04
S29	0	2000-266988A	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:08

S30	2	"2000266988"	US-PGPUB;	OR	ON	2005/03/29 14:08
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S31	44	(ishimaru or ide).in. and white adj balance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:38
S32	85	compos\$4 with image same different near3 focus\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 15:13
S33	477	increas\$4 with depth with field and image with (blend\$4 or compos\$4 or combin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 15:15
S41	131	camera and (combin\$4 or blend\$4 or compos\$4) same image same (focus or (deph near2 field)) and stor\$4 with file with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:51
S44	307	(program or software or computer or algorithm) with (compos\$4 or combin\$4) with image same ((depth near3 field) or (focus\$4 near "3" distance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:55
S45	77	(program or software or computer or algorithm) with (compos\$4 or combin\$4) with image same ((depth near3 field) or (focus\$4 near3 distance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:49
S46	1	"6201899".PN.	USPAT; USOCR	OR	OFF	2005/04/13 14:33
S47	1	"5856844".PN.	USPAT; USOCR	OR	OFF	2005/04/13 14:33
S48	625	compos\$4 with image with infrared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:21
S49	3	user with (program or software or computer or algorithm) with (compos\$4 or combin\$4) with image same ((depth near3 field) or (focus\$4 near3 distance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:50

S50	4	user with (program or software or computer or algorithm) same (compos\$4 or combin\$4) with image same ((depth near3 field) or (focus\$4 near3 distance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:14
S51	6	user with (program or software or computer or algorithm) same (compos\$4 or combin\$4) same image same ((depth near3 field) or (focus\$4 near3 distance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:15
S52	66	(user or operator) same (program or software or computer or algorithm) same (compos\$4 or combin\$4) same image same ((depth near3 field) or (focus\$4 near3 distance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:17
S55	0	"6157408" and derain near2 gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 08:45
S56	0	"6157408" and drain near2 gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 08:45
S57	1	"6157408" and drain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 08:46
S58	0	"6157408" and drain and gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 08:46
S59	142	"5477264"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:57
S60	1	single near2 file same image with ((depth near2 field) or (focus near2 distance)) same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:07
S61	1	single near2 file same image with ((depth near2 field) or (focus near2 distance)) same (memory or computer or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:08

S62	1	single near2 file same image same ((depth near2 field) or (focus near2 distance)) same (memory or computer or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:08
S63	22	file same image same ((depth near2 field) or (focus near2 distance)) same (memory or computer or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:08
S64	13	"5917488"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:04
S65	12	increas\$4 with depth with field same compos\$4 with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:04
S66	17	increas\$4 with depth with field same compos\$4 with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:05
S67	0	increas\$4 with depth with field same compos\$4 with image and file with image with associated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:05
S68	0	increas\$4 with depth with field same compos\$4 with image and file with image with correspond\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:05
S69	0	increas\$4 with depth with field same compos\$4 with image and file with correspond\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:06
S70	1	increas\$4 with depth with field same compos\$4 with image and file with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:06
S71	0	increas\$4 near3 depth near3 field same compos\$4 with image and file with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 08:49

S72	10	increas\$4 near3 depth near3 field same compos\$4 with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:45
S73	0	increas\$4 near3 depth near3 field same compos\$4 with image and file same image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:06
S74	4	single near3 file with image and increas\$4 with depth near3 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:30
S75	319	single near3 file with image and compos\$4 with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:31
S76	191	single near3 file with image and compos\$4 with image and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:57
S77	143	single adj2 file with image and compos\$4 with image and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:57
S78	143	single adj2 file with images and compos\$4 with image and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:58
S80	142	plurality with image with single adj2 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 09:45
S81	6	plurality with image with single adj2 file same condition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 08:50
S82	1	09/748219	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 09:46

S83	201	user with select\$4 with image same compos\$4 same interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:26
S84	3	user with select\$4 with image same compos\$4 same interface and depth with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:31
S85	361	user same (compos\$4 or combin\$4) with image same (focus\$4 or (focus adj2 distance) or (depth with field) or (in adj focus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:33
S86	156	compos\$4 with color same red same green same blue with image same camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:35
S94	2	"6320979".pn. and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 12:07
S95	7	compos\$4 with image same different near (bit or word)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 12:08
S96	27	compos\$4 with image same different near2 (bit or word)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 12:18
S97	21	compos\$4 with image same different near2 (bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 12:18
598	151	compos\$4 with image same different with (bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 12:26
S99	277	compos\$4 with image same (tiff or jpg or bmp or gif)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 12:27

S12 1	8	"20020071044"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 18:31
S12 2	1	10/071026	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 18:34
S12 3	100	348/263.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:34
S12 4	124	348/43.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 16:34
S12 5	78	348/49.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:33
S12 6	396	348/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:33
S12 7	92	348/221.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:33
S12 8	160	348/231.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:34
S12 9	1164	382/154.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:33
S13 0	168	382/255.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:34

	l			T	_	
S13 1	437	382/282.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:34
S13 2	14	("4958374" "5034986" "5067014" " 5151609" "5453784" "5815596" "59 20657").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 09:32
S13 3	2	"6813040".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 09:36
S13 4	2	"6813040"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 09:36
S13 5	156	uchino.in. and minolta.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 09:38
S13 6	24	uchino.in. and minolta.as. and combin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 10:20
S13 7	2	"20030052871"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 12:07
S13 8	0	07-151946	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 12:07
S13 9	2	"07151946"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 12:08
S14 0	1	2000-020132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 12:09

			<del></del>	1	-	
S14 1	1	"98075569"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 12:09
S14 2	100	348/263.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:26
S14 3	127	348/43.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:26
S14 4	81	348/49.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:33
S14 5	404	348/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:33
S14 6	95	348/221.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:33
S14 7	1266	382/154.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:33
S14 8	189	348/231.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:34
S14 9	183	382/255.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:34
S15 0	460	382/282.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:34

S15 1	2013	camera and (combin\$4 or blend\$4 or compos\$4) with image same (focus or (deph near2 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:34
S15 2	172	camera and (combin\$4 or blend\$4 or compos\$4) with image same ((focus or (deph near2 field)) with different)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:35
S15 3	0	camera and compos\$4 with image with deph near3 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 23:26
S15 4	66	camera and compos\$4 with image with depth near3 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 23:27
S15 5	41	camera and compos\$4 with image with depth near3 field not zhu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 23:32
S15 6	12	camera and compos\$4 with image same depth near3 field not zhu and select\$4 with depth near3 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 23:35
S15 7	60	camera and compos\$4 with image not zhu and select\$4 with depth near3 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 23:39
S15 8	3	camera and compos\$4 with image not zhu and select\$4 with depth near3 field with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 23:35
S15 9	3	user with select\$4 with depth near3 field and compos\$4 near3 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 23:40
S16 0	38	compos\$4 near3 image with depth near2 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 23:40

	т			η		
S16 1	42	compos\$4 near3 image with depth near2 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 23:40
S16 2	236800	compos\$4 near3 image with depth near2 field annd user near4 select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 23:40
S16 3	6	compos\$4 near3 image with depth near2 field and user near4 select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 23:41
S16 4	3	compos\$4 near3 image with depth near2 field and user near4 (select\$4 or choos\$4 or chosen or pick\$4) near4 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 23:42
S16 5	1	compos\$4 near3 image and user near4 (select\$4 or choos\$4 or chosen or pick\$4) near4 image with depth near3 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 23:43
S16 6	3	compos\$4 near3 image and user near4 (select\$4 or choos\$4 or chosen or pick\$4) with depth near3 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 23:44
S16 7	6	compos\$4 near3 image and (user or operator or photographer or person) near4 (select\$4 or choos\$4 or chosen or pick\$4) with depth near3 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 23:46
S16 8	224	compos\$4 near3 image and (user or operator or photographer or person) near4 (select\$4 or choos\$4 or chosen or pick\$4) with (focus or (lens adj position) or distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 23:46
S16 9	169	compos\$4 near3 image and (user or operator or photographer or person) near4 (select\$4 or choos\$4 or chosen or pick\$4) with (focus or (lens adj position) or distance) and @ad<"20020208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:39
S17 0	0	camera and user with select\$4 with depht with field with compos\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:40

S17	0	camera and user with select\$4 with	US-PGPUB;	OR	ON	2005/11/29 13:40
1		depth with field with compos\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OK .	ON	2505/11/29 15.70
S17 2	5	camera and select\$4 with depth with field with compos\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:47
S17 3	4	"348"/\$.ccls. and user with select\$4 with image with compos\$4 and depth near3 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:15
S17 4	12	user with select\$4 with image with compos\$4 and depth near3 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 16:23
S17 5	12	user with select\$4 with image with compos\$4 and depth with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:22
S17 6	703	user with select\$4 with image with compos\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:22
S17 7	28	user with select\$4 with image with compos\$4 and ((different near3 (distance or focus or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:31
S17 8	15	user with select\$4 with image with compos\$4 and ((different near3 (distance or focus)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:32
S17 9	0	mosaicing and opical with character with recognition and camera and enhancement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 16:24
S18 0	0	09/648426	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 17:25

			,			
S18 1	141	ocr and mosaic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OŃ	2005/11/29 17:26
S18 2	8	ocr same mosaic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 17:28
S18 3	19	((optical with character with (reader or recognition))ocr) same mosaic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 17:29
S18 4	19	((optical with character with (reader or recognition)) ocr) same mosaic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 10:17
S18 5	13	"4048615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 10:17
S18 6	0	"4048615" and mosaic\$4 and ocr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 10:17
S18 7	2	"4048615" and mosaic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 10:18
S18 8	19	(ocr or (optical adj character with (read\$4 or recognition))) same mosaic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 10:33
S18 9	33	compos\$4 with image and interface with select\$4 with (distance or (depht near2 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 13:17
S19 0	40	compos\$4 with image and interface with select\$4 with (distance or (depht near2 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 13:20

S19 1	12	compos\$4 with image and interface with select\$4 near4 (distance or (depht near2 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:24
S19 2	907	compos\$4 near4 image and select\$4 near3 (distance or (depth near2 field))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 13:25
S19 3	43	compos\$4 with image and interface with select\$4 with (distance or (depth near2 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 13:20
S19 4	75	compos\$4 near4 image and (user or operator or person or photographer) with select\$4 near3 (distance or (depth near2 field))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 15:08
S19 5	319	compos\$4 near4 image and display\$4 near3 (distance or (depth near2 field)) near4 (image or subimage or portion or area or sub\$1area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 13:38
S19 6	66	compos\$4 near4 image and display\$4 near3 (distance or (depth near2 field)) near4 (image or subimage or portion or area or sub\$1area) and @rlad<"20020108"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:12
S19 7	56	compos\$4 near4 image and select\$4 near3 (distance or (depth near2 field)) near4 (image or subimage or portion or area or sub\$1area) and @rlad<"20020108"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:16
S19 8	10	display with distance with embed\$4 with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:17
S19 9	30	348/333.02.ccls. and display\$4 with distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:22

					T	T
S20 0	4	S199 and compos\$4 with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:23
S20 1	2500	combin\$4 near4 image same (distance or (depht near2 field))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 15:08
S20 2	7	combin\$4 with image and interface with select\$4 near4 (distance or (depht near2 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:27
S20 3	77	combin\$4 with image and (user or operator or person or photographer) near4 select\$4 near4 (distance or (depht near2 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:28
S20 4	22	combin\$4 with image and (user or operator or person or photographer) near4 select\$4 near4 (distance or (depht near2 field)) and @rlad<"20020802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:29
S20 5	19	combin\$4 with image and (user or operator or person or photographer) near4 select\$4 near4 (distance or (depht near2 field)) and @rlad<"20020208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:35
S20 6	629	increas\$4 with (depth near3 field) and select\$4 with imag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:38
S20 7	32	"0139878"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:47
S20 8	187	(compos\$4 or combin\$4) near4 (photograph or image) same different near3 (distance or (depht near2 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:48
S20 9	188	(compos\$4 or combin\$4) near4 (photograph or image) same different near3 (distance or (depth near2 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:48

S21 0	15	S209 and @rlad<"20020208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:55
S21 1	258	select\$4 near2 image near6 distance and image near4 (compos\$44 or combin\$4 or merg\$4 or blend\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 14:55
S21 2	69	S211 and @rlad<"20020208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 15:08
S21 3	3279476	(user or operator or person or photographer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 15:08
S21 4	2719689	distance or (depht near2 field) or (lens\$4 near2 position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 15:09
S21 5	30697	display\$4 near5 S214	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 15:10
S21 6	107772	(combin\$4 or blend\$4 or merg\$4 or compos\$4) near5 image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 15:12
S21 7	2614	S216 and S215	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 15:12
S21 8	23800	S213 near5 (select\$4 or choos\$4 or chosen) near5 image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 15:13

S21 9	281	S218 and S217	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:01
S22 0	1733456	user select\$4 with image same combin\$4 near3 image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:01
S22 1	11420	display\$4 with distance with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:02
S22 2	4035	S220 and S221	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:45
S22 3	2	"5845166".pn. and select with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:39
S22 4	2	"5845166".pn. and select\$4 with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:43
S22 5	2	"5845166".pn. and select\$4 near5 image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:45
S22 6	1	"5845166".pn. and select\$4 near5 image and print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:46

S22 7	1	"5845166".pn. and select\$4 near5 image and print\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:48
S22 8	2	("5845166" or "5978016").pn. and select\$4 near5 image and print\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:50
S22 9	94	lenticular with scan\$4 with image and select\$4 with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:51
S23 0	14	lenticular with scan\$4 with image and select\$4 with image and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:53
S23 1	4	lenticular with scan\$4 with film and select\$4 with image and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:53
S23 2	110	lenticular and scan\$4 with film and select\$4 with image and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:53
S23 3	21	lenticular near3 image and scan\$4 with film and select\$4 with image and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:54
S23 4	120	select\$4 with image and creat\$4 with lenticular with image and film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:59

S23 5	22	select\$4 with image and creat\$4 with lenticular with image and scan\$4 near4 film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:59
S23 6	1008651	select\$4 with image and creat\$4 with lenticular with image and scan\$4 near4 film @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:00
S23 7	7	select\$4 with image and creat\$4 with lenticular with image and scan\$4 near4 film and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:03
S23 8	0	request\$4 with lenticular and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:04
S23 9	_ 208	order with lenticular and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:04
S24 0	0	order4 near4 lenticular and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:04
S24 1	0	order4 near8 lenticular and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:04
S24 2	82	order\$4 near4 lenticular and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:05

S24 3	1	user near8 order\$4 near4 lenticular and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:06
S24 4	161	kodak and lenticular and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:07
S24 5	94	kodak and lenticular and @rlad<"20011221" and scanner	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:07
S24 6	21	kodak and lenticular and @rlad<"20011221" and scanner not tsikos	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:10
S24 7	0	select\$4 with film\$2 same lenticular\$4 near4 creat\$4 and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:14
S24 8	27	select\$4 with film\$2 same lenticular\$4 and @rlad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:16
S24 9	7	request\$4 with lenticular	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:21
S25 0	4	"5956083" and scan\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:07

				,		
S25 1	1	"5956083" and scan\$4 and holograph\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:07
S25 2	1	"5956083" and scan\$4 and (holograph\$4 or hologram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:50
S25 3	25	(nelson with hernandez).xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:51
S25 4	5	("20020071035"   "20030071915"   "4937676"   "6138826"   "6717762").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/12 15:52
S25 5	2	("6693665").pn. "20040212822"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/12 15:53